

AP

HEAVY DUTY®


APHDPP3
Supersedes APHDPP2

TRUCK
SCHOOL BUS
AGRICULTURAL



HEAVY DUTY EXHAUST TOP SELLING PRODUCTS

MUFFLERS



INLET/OUTLET POSITION

NOTE: Muffler Offsets and Positions should be measured and viewed from the Inlet end.



STYLE 1
CENTER TO CENTER



STYLE 2
OFFSET TO OFFSET



STYLE 2A
DUAL TO OFFSET

P/N	STYLE	STYLE/TYPE DESCRIPTION	INLET ID	OUTLET ID	INLET POSITION	OUTLET POSITION	FIG	INLET OFFSET	OUTLET OFFSET	CROSS SECTION	SHELL LENGTH	OVERALL LENGTH
3719	2A	DUAL TO OFFSET	2 1/2"	2 1/2"	6-6	12	1	1 5/8" - 1 5/8"	2"	8 3/4"	30"	38 7/8"
3654	2	OFFSET TO OFFSET	2 1/2"	2 1/2"	12	6	1	1 13/32"	1 13/32"	6 5/8"	28"	35"
3618	1	CENTER TO CENTER	3 1/2"	3 1/2"	0	0	1	0	0	7"	14"	19 3/4"
3721	1	CENTER TO CENTER	3"	3"	0	0	1	0	0	6"	21"	30"
3716	2	OFFSET TO OFFSET	3 1/2"	4"	12	6	2	2 1/2"	2 1/2"	8 1/2" x 11"	30"	36 3/8"
3681	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	9"	10 1/2"	16"
3871	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	7"	22"	28"
3625	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	8 1/2"	34 1/2"	40 1/4"
3891	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	8 1/2"	44"	51"
4227	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	7"	36"	43"
4251	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	11"	36"	43"
3712	1	CENTER TO CENTER	4"	5"	0	0	1	0	0	9"	44 1/2"	51"
3682	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	9"	10"	16 1/2"
3640	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	10"	44 1/2"	51"
3667	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	9"	44 1/2"	51"
3699	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	10"	44"	51"

TOP SELLERS



AccuSeal™ FLATBAND EXHAUST CLAMPS



P/N	SIZE	MATERIAL
AS214	2 ¼"	ALUMINIZED STEEL
AS212	2 ½"	ALUMINIZED STEEL
AS300	3"	ALUMINIZED STEEL
AS400	4"	ALUMINIZED STEEL
AS500	5"	ALUMINIZED STEEL



EasySeal™ FLATBAND EXHAUST CLAMPS



P/N	SIZE	MATERIAL
B300	3"	BRIGHT 304 STAINLESS STEEL
B312	3 ½"	BRIGHT 304 STAINLESS STEEL
B400	4"	BRIGHT 304 STAINLESS STEEL
B500	5"	BRIGHT 304 STAINLESS STEEL
B600	6"	BRIGHT 304 STAINLESS STEEL

EXTRA HEAVY DUTY CLAMPS ¾" U-BOLT 11 GAUGE SADDLE



P/N	P/N ZINC	SIZE	BOX QTY
H300*	H300Z	3"	1
H314*	—	3 ¼"	1
H312*	—	3 ½"	1
H400*	H400Z	4"	1
H412*	—	4 ½"	1
H500*	H500Z	5"	1

HEAVY DUTY ¾" U-BOLT TRUCK CLAMPS



P/N	P/N ZINC	SIZE	BOX QTY
H300P	H300PZ	3"	1
H312P	H312PZ	3 ½"	1
H400P	H400PZ	4"	1
H412P	H412PZ	4 ½"	1
H500P	H500PZ	5"	1

HEAVY DUTY GUILLOTINE CLAMPS



P/N	P/N ZINC	P/N CHROME	SIZE	BOX QTY
T300	T300Z	—	3"	1
T314	—	—	3 ¼"	1
T400	T400Z	9486	4"	1
T500	T500Z	9487	5"	1


HANGERS



P/N	MATERIAL
9740	PIPE 4" GENESIS AND NAVISTAR
9449	NAVISTAR
9628	MUFFLER 11 1/8" BLUEBIRD, AND FORD
9769	FREIGHTLINER
9579	UNIVERSAL HD HANGER AND BRACKET 14"
9349	NAVISTAR
9321	1996, UP NAVISTAR T444E FWD REAR MUFFLER HANGER


ALUMINIZED 45° ELBOWS I.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10313	3"	7"-7"	6"
10314	3 ½"	8"-8"	7"
10736	4"	5"-5"	4"
10726	4"	6"-6"	6"
10315	4"	9 ¼"-9 ¼"	8"
10729	5"	7"-7"	8"
10730	5"	8"-8"	10"
10727	4"	12"-12"	6"
10317	5"	12"-12"	8"



ALUMINIZED 90° ELBOWS O.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10337	3"	3"-3"	3 ½"
10776	3"	10"-12"	3"
10339	4"	4 ½"-4 ½"	4 ½"
10781	4"	8"-8"	4"
10780	4"	7"-7"	5"
10539	4"	12"-12"	5 ½"
10340	5"	5 ½"-5 ½"	5 ½"
10785	5"	8 ½"-8 ½"	6"
10789	5"	9 ½"-9 ½"	6"
10541	5"	11"-16"	5 ½"
10791	5"	12"-12"	6"
10540	5"	15"-15"	8"




ALUMINIZED 45° ELBOWS O.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10564	3"	7"-7"	6"
10566	4"	8"-8"	4 ½"
10567	5"	8"-8"	5 ½"


TOP SELLERS



V-BAND CLAMPS



P/N	TUBE DIA.	A	B	C	APPLICATION
9399	4.00"	4.25"	4.81"	0.21"	REPLACES BLUEBIRD #0997791
9618	2.75"	2.80"	3.20"	0.26"	6BT5.9L, 6BTA5.9L
9398	3.00"	3.26"	4.06"	0.21"	Fits - OEM MUFFLERS.
9396	3.50"	3.94"	4.50"	0.21"	3208T
9653	4.00"	4.19"	4.75"	0.40"	3176T
9627	3.50"	3.69"	4.25"	0.40"	VT555, VT-555 MANIFOLD
9610	3.00"	3.25"	3.87"	0.43"	FORD #E5HZ5A231B
9615	5.00"	5.32"	5.88"	0.40"	750, N, 88NT, NTC, VT



ALUMINIZED 90° ELBOWS I.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10675	3"	8"-8 1/4"	6"
10756	3"	8 1/2"-8 1/2"	5"
10757	3"	10"-12"	5"
10304	3"	14"-14"	6"
10795	3 1/2"	6 1/4"-6 1/4"	3 1/2"
10676	3 1/2"	9"-9"	4 1/2"
10759	3 1/2"	9 1/2"-9 3/4"	5"
10681	4"	8"-8"	4 1/2"
10678	4"	10"-10"	4 1/2"
10761	4"	12"-12"	6"
10306	4"	18"-18"	8"
10764	5"	8 1/2"-8 1/2"	6"
10557	5"	11"-11"	6"
10680	5"	11"-11"	7 1/2"
10765	5"	15"-15"	8"
10554	5"	15"-15"	10"
10308	5"	18"-18"	10"
10556	6"	15"-15"	10"

ALUMINIZED OD - OD CONNECTOR

Connects I.D. pipes of the same size.



P/N	ID - ID	LENGTH
8972	4" - 4"	8"
8973	5" - 5"	8"

ALUMINIZED ID - ID CONNECTOR

Connects O.D. pipes of the same size.



P/N	ID - ID	LENGTH
14339	3" - 3"	4"
14601	3" - 3"	6"
14602	3 1/2" - 3 1/2"	6"
14603	4" - 4"	6"
14605	5" - 5"	6"

ALUMINIZED ID - OD CONNECTOR

Connects I.D. and O.D. pipes of the same size.



P/N	ID - OD	LENGTH
8961	3" - 2 3/4"	6"
8962	3 1/2" - 3"	6"
8975	3" - 3"	6"
8991	4" - 4"	6"
8978	5" - 5"	6"

ALUMINIZED ID - ID REDUCER

Reduces O.D. pipes of different sizes.



P/N	ID - ID	LENGTH
8956	4" - 3"	6"
8957	4" - 3 1/2"	8"
8958	5" - 4"	8"

ALUMINIZED ID - OD REDUCER

Reduces larger O.D. pipe to smaller I.D. pipe.




P/N	ID - OD	LENGTH
8963	4" - 3"	6"
8962	3 1/2" - 3"	6"
8964	4" - 3 1/2"	6"
8965	5" - 4"	6"

ALUMINIZED OD - ID REDUCER

Reduces larger I.D. pipe to smaller O.D. pipe.




P/N	OD - ID	LENGTH
9333	3 1/2" - 3"	6"
9722	4" - 3"	6"
9332	4" - 3 1/2"	6"
9331	5" - 4"	6"



BENDABLE ALUMINIZED STRAIGHT TUBING

PART NO.	O.D.	GAUGE	LENGTH
300A7514	3"	14	7.5'
312A1014	3 1/2"	14	10'
312A1016	3 1/2"	16	10'
400A1014	4"	14	10'
400A1016	4"	16	10'
400A1414	4"	14	14'
412A1016	4 1/2"	16	10'
500A1016	5"	16	10'
512A1016	5 1/2"	16	10'
600A1016	6"	16	10'
800A1016	8"	16	10'
1000A1016	10"	16	10'

TOP SELLERS



STACK PIPES - ANGLED

P/N ALUMINIZED	P/N CHROME	INLET DIA	LENGTH
24346	—	4" OD	12"
24717	824720	4" ID	18"
24713	824718	4" OD	18"
54721	854722	4" ID	60"
24718	824723	5" OD	18"
—	824717	5" ID	18"
24672	824673	5" ID	20"
24750	824752	5" OD	24"
34724	834729	5" OD	36"
44667	844673	5" OD	48"
54726	854729	5" OD	60"

STACK PIPES - SQUARE CUT (ID)



P/N ALUMINIZED	P/N CHROME	INLET DIA	LENGTH
34713	—	3" ID	36"
9599	—	3 1/2" ID	18"
24711	—	4" ID	18"
24737	—	4" ID	24"
34715	—	4" ID	36"
44656	—	4" ID	48"
54991	—	4" ID	60"
24712	—	5" ID	18"
24739	—	5" ID	24"
44658	—	5" ID	48"



TorcTite™ PREFORMED CLAMPS - LAP JOINT



P/N	SIZE	MATERIAL
9668	3"	BRIGHT 304 STAINLESS STEEL
9604	3"	ALUMINIZED STEEL
9669	3 1/2"	BRIGHT 304 STAINLESS STEEL
9605	3 1/2"	ALUMINIZED STEEL
9623	4"	BRIGHT 304 STAINLESS STEEL
9606	4"	ALUMINIZED STEEL
9624	5"	BRIGHT 304 STAINLESS STEEL
9607	5"	ALUMINIZED STEEL
9671	6"	BRIGHT 304 STAINLESS STEEL



TorcTite™ PREFORMED CLAMPS - BUTT JOINT



P/N	SIZE	MATERIAL
9692	4"	BRIGHT 304 STAINLESS STEEL
9680	4"	ALUMINIZED STEEL
9694	5"	BRIGHT 304 STAINLESS STEEL



PRE-CUT FLEX HOSE STYLE ID-ID

P/N STAINLESS	P/N GALVANIZED	DIA.	LENGTH
24677	24754	4"	18"
24836	24835	4"	24"
34673	34743	4"	36"
14737	—	5"	12"
24678	24755	5"	18"
24838	24837	5"	24"
34674	34744	5"	36"

FLEX TUBING 10 FOOT LENGTHS



P/N STAINLESS STANDARD THICKNESS	P/N ALUMINIZED HEAVY DUTY THICKNESS	P/N GALVANIZED HEAVY DUTY THICKNESS	ID
8885	8859	8986	3"
8886	8876	8987	3 1/2"
8887	8856	8988	4"
8888	8857	8989	5"

FLEX TUBING 25 FOOT LENGTHS



P/N STAINLESS STANDARD THICKNESS	P/N GALVANIZED STANDARD THICKNESS	P/N GALVANIZED HEAVY DUTY THICKNESS	ID
8982	8875	8880	3"
8983	—	8881	3 1/2"
8878	—	8882	4"
8879	—	8877	5"

RAIN CAPS



P/N	MATERIAL FINISH	MIN. O.D. SIZE
9371	POWDER COATING	2"
9372	POWDER COATING	2 1/2"
9373	POWDER COATING	3"
9374	POWDER COATING	3 1/2"
9375	POWDER COATING	4"
9377	POWDER COATING	5"
9369	POWDER COATING	6"
DSK555	T304 POLISHED STAINLESS	5"



EasySeal, Torca, TorcTite, and ValuSeal are registered trademarks of Torca Products, Inc.



300 Dixie Trail
Goldsboro, NC 27530
P. 919.580.2000 F. 919.580.2010

www.apexhaust.com

© 2017 AP Exhaust Technologies, Inc.
All Rights Reserved Printed in USA